

VoIPoM for Repeater Phone Patch

Written by Jim Kinter, K5KTF - Last Updated Monday, 15 December 2014 09:00

Those of you who have seen this page before may notice that it has changed !

Changed from an idea to Documentation!

I have successfully integrated the phone patch of an SCOM 7K repeater with a Grandstream HT286 ATA adapter and a mesh node. The HT286 has less than a preferred web GUI for setup, but if you are persistent, you can get it set.

VoIPoM for Repeater Phone Patch

Written by Jim Kinter, K5KTF - Last Updated Monday, 15 December 2014 09:00



VoIPoM for Repeater Phone Patch

Written by Jim Kinter, K5KTF - Last Updated Monday, 15 December 2014 09:00

~~http://www.k5ktf.com/usbmesh/usbmesh.html~~

K5KTF-USB mesh status

Stop Quit

Local Hosts	Services	Current Neighbors	LQ
K5KTF-USB	IRC Chat POP3/SMTP (25/110/587) VoIPoM (5004/5060/10K-20K) WWW Winlink/RMS (8000)	K5KTF-30tower K5KTF-444625 ● z444625 K5KTF-Hotline ● Hotline K5KTF-TunnelHost (mid*5) K5KTF-USB2	100% 94% 100% 100% 100%
Remote Nodes	ETX	Services	
KD5MFW-372-GS-vtun (mid)	2.00		
KD5MFW-401-W5KA-tun (mid*3)	2.00		
W5KA-spr1-KD5MFW-902 (mid)	3.00		
WA5VBP-1	3.00		
● noname1			
● wa5vbp-1			
WA5VBP-tun (mid)	2.00		
WB5AOH-29-54GS-vtun (mid*3)	2.00		
WB5AOH-31	3.12		
WB6YOK-000-gs-TUNNEL (mid)	2.00		
WB6YOK-103-GATEWAY	3.00		
ad5oo-6	3.00		

Previous Neighbors

10.81.108.225

~~http://www.k5ktf.com/usbmesh/usbmesh.html~~