

## VoIPoM for Repeater Phone Patch

Written by Jim Kinter, K5KTF - Last Updated Monday, 15 December 2014 09:00

---

Those of you who have seen this page before may notice that it has changed !

Changed from an idea to Documentation!

I have successfully integrated the phone patch of an SCOM 7K repeater with a Grandstream HT286 ATA adapter and a mesh node. The HT286 has less than a preferred web GUI for setup, but if you are persistent, you can get it set.

# VoIPoM for Repeater Phone Patch

Written by Jim Kinter, K5KTF - Last Updated Monday, 15 December 2014 09:00

---



**Belkin UPS  
12VDC output**

**HT-286**

**K5KTF-444625**

**Decibel 70cm Duplexer**

**S-COM 7K Controller**

**GE MASTR II  
@ 444.625Mhz**

# VoIPoM for Repeater Phone Patch

Written by Jim Kinter, K5KTF - Last Updated Monday, 15 December 2014 09:00

~~http://www.k5ktf.com/usbmesh.html~~

## K5KTF-USB mesh status

Stop

Quit

### Local Hosts

K5KTF-USB

### Services

[IRC Chat](#)  
POP3/SMTP (25/110/587)  
VoIPoM (5004/5060/10K-20K)  
[WWW](#)  
Winlink/RMS (8000)

### Current Neighbors

[K5KTF-30tower](#) 100%  
[K5KTF-444625](#) 94%  
● z444625  
[K5KTF-Hotline](#) 100%  
● Hotline  
[K5KTF-TunnelHost](#) (mid\*5) 100%  
[K5KTF-USB2](#) 100%

### Remote Nodes

ETX

### Services

[KD5MFW-372-GS-vtun](#) (mid) 2.00  
[KD5MFW-401-W5KA-tun](#) (mid\*3) 2.00  
[W5KA-spr1-KD5MFW-902](#) (mid) 3.00  
[WA5VBP-1](#) 3.00  
● noname1  
● wa5vbp-1  
[WA5VBP-tun](#) (mid) 2.00  
[WB5AOH-29-54GS-vtun](#) (mid\*3) 2.00  
[WB5AOH-31](#) 3.12  
[WB6YOK-000-gs-TUNNEL](#) (mid) 2.00  
[WB6YOK-103-GATEWAY](#) 3.00  
[ad5oo-6](#) 3.00

### Previous Neighbors

10.81.108.225

~~http://www.k5ktf.com/usbmesh.html~~